IN THE CLAIMS

Claims 1-30 (Canceled).

31 (Previously Added). A method comprising:

monitoring one video transmission while a receiver is tuned to another video transmission;

monitoring for a predetermined time associated with the one video transmission;

and

generating a notification at a predetermined time associated with the one video transmission.

32 (Previously Added). The method of claim 31 wherein monitoring time includes monitoring when a set amount of time is remaining in the one video transmission.

33 (Previously Added). The method of claim 31 including automatically generating a notification at a given time interval.

34 (Previously Added). The method of claim 31 including automatically providing a notification when said another video transmission includes a program which will end within a predetermined time interval.

35 (Previously Added). An article comprising a medium storing instructions that, if executed, enable a processor-based system to:

monitor one video transmission while a receiver is tuned to another video transmission;

monitor a time associated with the one video transmission; and generate a notification at a predetermined time associated with the one video transmission.

- 36 (Previously Added). The article of claim 35 further storing instructions that enable a system to monitor when a set amount of time is remaining in another transmission.
- 37 (Previously Added). The article of claim 35 further storing instructions that enable a system to automatically generate a notification at a given time interval.
- 38 (Previously Added). The article of claim 35 further storing instructions that enable a system to automatically provide a notification when said another transmission includes a program which will end within a predetermined time interval.
 - 39 (Previously Added). A system comprising:
 - a processor; and
- a storage coupled to the processor, said storage storing instructions that enable the processor to monitor one video transmission while a receiver is tuned to another video transmission, monitor time for a predetermined time and generate a notification at a predetermined time associated with the one video transmission.
 - 40 (Previously Added). The system of claim 39 wherein said system is a video receiver.
- 41 (Previously Added). The system of claim 39 wherein said system is a video transmitter.
 - 42 (Currently Amended). A method comprising:
- monitoring on a first receiver one video transmission while said first a receiver is tuned to receive another video transmission; and
- generating <u>from said first receiver</u> a notification when a predetermined score is detected during said one video transmission.
- 43 (Previously Added). The method of claim 42 including enabling the selection of the score for generating the notification.

- 44 (Previously Added). The method of claim 42 including providing a visual on-screen notification related to the one video transmission.
- 45 (Previously Added). An article comprising a medium storing instructions that, if executed, enable a processor-based system to:

monitor one video transmission while a receiver is tuned to receive another video transmission; and

generate a notification when a predetermined score is detected during the one video transmission.

46 (Previously Added). The article of claim 45 further storing instructions that enable the processor-based system to enable the selection of the score which generates the notification.

47 (Previously Added). The article of claim 45 further storing instructions that enable the processor-based system to provide a visual on-screen notification related to the one video transmission.

48 (Previously Added). A system comprising:

a processor; and

a storage coupled to said processor, said storage storing instructions that enable the processor to monitor the one video transmission while a receiver is tuned to receive another video transmission and generate a notification when a predetermined score is detected during said one video transmission.

- 49 (Previously Added). The system of claim 48 wherein said system is a video receiver.
- 50 (Previously Added). The system of clam 48 wherein said system is a video transmitter.

51 (Currently Amended). A method comprising:

monitoring on a first receiver one video transmission while said first a receiver is tuned to receive a second video transmission;

detecting <u>on said first receiver</u> the occurrence of an event in the course of the one video transmission; and

providing <u>from said first receiver</u> a video segment from said one video transmission for display in the course of <u>said</u> the second video transmission.

52 (Previously Added). The method of claim 51 including providing a video segment of a portion of the one video transmission proximate in time to the occurrence of the event.

53 (Previously Added). The method of claim 51 including storing said video segment.

54 (Previously Added). An article comprising a medium storing instructions that, if executed, enable a processor-based system to:

monitor one video transmission while a receiver is tuned to receive a second video transmission;

detect the occurrence of an event in the course of one video transmission; and provide a video segment from said one video transmission for display in the course of the second video transmission.

55 (Previously Added). The article of claim 54 further storing instructions that enable the processor-based system to provide a video segment of a portion of the one video transmission proximate in time to the occurrence of the event.

56 (Previously Added). The article of claim 54 further storing instructions that enable the processor-based system to store said video segment.

57 (Previously Added). A system comprising:

a processor; and

a storage coupled to said processor, said storage storing instructions that enable the processor to monitor one video transmission while a receiver is tuned to receive a second video transmission, detect the occurrence of an event in the course of the one video transmission, and provide a video segment from said one video transmission for display in the course of the second video transmission.

58 (Previously Added). The system of claim 57 wherein said system is a video receiver.

59 (Previously Added). The system of claim 57 wherein said system is a video transmitter.